

VERSION WITH MARKINGS TO SHOW CHANGES MADE

In accordance with 37 C.F.R. § 1.173(b)(2), please add the following new claims:

Claim 18. A print-receptive, pill-resistant, knitted fabric, said fabric knitted from yarn formed from high-tenacity, staple synthetic fiber having a tenacity value of greater than about 4 grams/denier, wherein said knitted fabric is a double-knit fabric having a front side and a back side, the front side being formed from said high-tenacity, staple synthetic fiber and the back side being substantially formed from cellulosic yarn, said cellulosic yarn being selected from the group consisting of cotton and synthetic cellulosic fibers.

Claim 19. The knitted fabric of Claim 18, wherein the back side of said fabric is substantially 100% spun cotton fiber.

Claim 20. The knitted fabric of Claim 18, wherein the front side and back side of said fabric are a single jersey knit construction.

Claim 21. The knitted fabric of Claim 18, further including a tie yarn between the front and back of said fabric.

Claim 22. The knitted fabric of Claim 18, wherein the high-tenacity, staple synthetic fabric has a tenacity of about 6 grams/denier.

Claim 23. A print-receptive, pill-resistant, knitted fabric, said fabric knitted from yarn formed from high-tenacity, staple synthetic fiber having a tenacity value of greater than about 4 grams/denier, and wherein said high-tenacity, staple synthetic fiber is air jet spun, and wherein said knitted fabric is a double-knit fabric having a front side and a back side, the front side being formed from said high-tenacity, staple synthetic fiber and the back side being substantially formed from cellulosic yarn, said cellulosic yarn being selected from the group consisting of cotton and synthetic cellulosic fibers.

Claim 24. The knitted fabric of Claim 23, wherein the air jet spun, high-tenacity, staple synthetic fiber is polyester.

Claim 25. The knitted fabric of Claim 23, wherein the back side of said fabric is substantially 100% spun cotton fiber.

Claim 26. The knitted fabric of Claim 23, wherein the front side and back side of said fabric are a single jersey knit construction.

Claim 27. The knitted fabric of Claim 23, further including a tie yarn between the front and back of said fabric.

Claim 28. The knitted fabric of Claim 23, wherein the high-tenacity, staple synthetic fabric has a tenacity of about 6 grams/denier.